



THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### Assessing the Impact of Climate Change on the UK's Wave Energy Resource

**Citation for published version:**

Agarwal, A, Venugopal, V & Harrison, G 2015, Assessing the Impact of Climate Change on the UK's Wave Energy Resource. in *International Conference on Energy Meteorology*. Boulder, Colorado.

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Publisher's PDF, also known as Version of record

**Published In:**

International Conference on Energy Meteorology

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# Assessing the Impact of Climate Change on the UK's Wave Energy Resource

Dr Atul Agarwal<sup>†</sup>

**Prof Gareth Harrison**

Dr Venki Venugopal

*University of Edinburgh*

<sup>†</sup>Now at Ceres Global



# Aim

- To project the wave climate around the UK for the 21<sup>st</sup> century for high, medium and low emissions scenarios and investigate the existence of a **causal link** with atmospheric greenhouse gas concentrations


# Methodology

- Using a calibrated wave model for the North Atlantic and UK, simulate current and projected wave climate (height, energy period and direction) for the high, medium and low GHG emissions scenarios
- Establish the capability of Wavewatch III v4.18 model through:
  - Validation of contemporary climate against observations
  - Comparison of spatial trends between projections and contemporary climate
- Assess the magnitude of changes in absolute and relative terms
- Investigate the existence of a causal link between the wave climate changes and GHG levels using the Analysis of Variance (ANOVA) method



# Datasets and Modelling


- Wave data simulated using WAVEWATCH III v 4.18
- Hourly gridded wave data at  $0.25^\circ \times 0.25^\circ$  spatial resolution
- Tuning parameter values obtained from response surface optimisation were used
- NCEP 20th Century Reanalysis (20CR) wind data used for simulating the historical ‘observed’ wave climate
- ECHAM5 GCM wind data for climate change scenarios




# Calibration

- A Monte-Carlo type experiment was designed to calibrate the wave model, including:
- Experiment to tune the values of the wind growth term ( $\beta$ ), swell attenuation factor ( $\gamma$ ) and the JONSWAP bottom friction coefficient ( $\Gamma$ )
- 500 trials designed using the Latin Hypercube sampling scheme to optimise computational effort and accuracy
- Response surfaces were generated to examine parameter effect on significant wave height ( $H_s$ ) and peak wave period ( $T_p$ )
- Response surfaces were simultaneously optimised to minimise the bias between model and buoy measurements

# Calibration



Response surfaces for  $H_s$




Response surfaces for  $T_p$



# Validation

Comparison of wave model output for default and optimised parameter values compared with buoy observations for the location West of Hebrides







# Validation

$H_s$



NDBC buoy 41048




West of Hebrides




$T_p$



# Validation: ERA-Int




## Wave data from reanalysis winds (20CR)




## Wave data from ECMWF ERA-I

# Comparison of Contemporary Climate



Wave data from reanalysis winds (20CR)









Wave data from GCM data for the A1B scenario



# Comparison of Contemporary Climate

- Good agreement between  $H_s$  and  $D_m$  at site and regional levels
- Lower confidence in  $T_e$  on account of differences at the site and regional levels






# Changes in Wave Climate 2001 – 2100: $H_s$

Absolute




A2

A1B

B1



Relative








# Changes in Wave Climate 2001 – 2100: $T_e$

Absolute




A2

A1B

B1




Relative











# Changes in Wave Climate 2001 – 2100: $D_m$



# Analysis of variance

- ANOVA test applied to samples of wave data from 2071-2100 from the A2, A1B and B1 scenarios
- Results show no statistically significant differences between the samples
- Results indicate that based on the data available, it is unlikely that the wave climate it influenced by climate change forcings.



# Conclusions

- Over the 21st century, some changes in magnitudes can be observed in the wave climate projections for the three selected scenarios from the contemporary climate
- However, based on the data and methods used, it cannot be concluded that these are linked with atmospheric greenhouse gas concentrations
- It is possible that these may be a result of the natural variability of the system

Contact: Dr Atul Agarwal ([a.agarwal@ceresglobal.in](mailto:a.agarwal@ceresglobal.in)); Dr Vengatesan Venugopal ([v.venugopal@ed.ac.uk](mailto:v.venugopal@ed.ac.uk)); Prof. Gareth Harrison ([Gareth.Harrison@ed.ac.uk](mailto:Gareth.Harrison@ed.ac.uk))

